



RELN Ag-Pipe

- Range of pipe fittings available
- RTA/RMS approved Filtersock
- Available in two resins: HDPE SN8 and PVC SN20
- HDPE SN8 Ag-Pipe is ideal for general drainage applications such as sporting fields, parks and gardens
- PVC SN20 Ag-Pipe is ideal for heavy duty applications such as roads and civil engineering projects, as well as areas used by heavy vehicular traffic
- Available as Solid, Slotted and Unslotted with Filtersock in 10, 20, 50, 100 and 200. 160 available in 25.

Filtersock

Solid

Slotted



Components:



Solid Pipe



Slotted Pipe



Filtersocked
Pipe



Joiner



T Junction



Y Junction



End Cap

Ag-Pipe

Corrugated Ag Pipe is a single wall corrugated drainage pipe used for subsoil drainage. Manufactured with a corrugated profile from high quality recycled and virgin resins, Ag Pipe is both strong and lightweight. All Corrugated Ag Pipe products fitted with a filter sock are RTA approved, and come packaged in a storage bag to help protect the filter sock prior to installation.

> Ag Pipe Solid



Perfect for moving stormwater/ wastewater when drawing water away from the surrounding soil is not required.

> Ag Pipe Slotted



Slots allow water to enter the pipe. Perfect to drain away excess groundwater and possibly surfacewater into a stormwater line, wastewater line or pit.

> Ag Pipe Filtersock



Sock prevents unwanted sediment entering the pipe causing blockages in the line. Slotted Ag Pipe is within sock.

- Range of pipe fittings available
- RTA / RMS approved
- Available in two resins
- HDPE SN8 Ag-Pipe is ideal for general drainage applications such as sporting fields, parks and gardens
- PVC SN20 Ag-Pipe is ideal for heavy duty applications such as roads and civil engineering projects, as well as areas used by heavy vehicular traffic
- Available as Solid, Slotted and unslotted with Filtersock in 10m, 20m, 50m, 100m and 200m. 160mm available in 25m.

Quality Assurance: Corrugated Ag Pipe is manufactured to stringent specifications. A pipe stiffness test is carried out as part of compliance to AS2439-1-2007, and in accordance with AS/NZS1462.22, which tests the stiffness capabilities of the pipe. Pipe samples are placed within an Instron Impact / Compression Testing Unit and data is entered based on the pipe's wall thickness and weight. A series of deflection tests are then carried out to give a final reading on the stiffness of the pipe.

>Frequently Asked Questions

Q1. Can you buy the sock only?

A. Yes. However, the sock is only available on a 250m roll.

Q2. How big are the slots on the pipe?

A. The slots surround the entire pipe.

Q3. Is there a joiner on the roll?

A. Yes. The Ag-Pipe comes with a coupling.



Reln Ag-Pipe 50mm
 Reln Ag-Pipe 65mm
 Reln Ag-Pipe 100mm
 Reln Ag-Pipe 165mm
 Reln Ag-Pipe PVC 100mm
 Reln Ag-Pipe PVC 160mm
 Reln Ag-Pipe 80mm

Product Code	Description	Diameter (mm)	Length (m)	Weight (kg)	Barcode
RAP5010FS	Reln Ag-Pipe 50mm x 10m SN8-Class 400 Filtersock	50mm	10m	1.9kg	9 319022 000013
RAP5020FS	Reln Ag-Pipe 50mm x 20m SN8-Class 400 Filtersock	50mm	20m	3.8kg	9 319022 000020
RAP5050FS	Reln Ag-Pipe 50mm x 50m SN8-Class 400 Filtersock	50mm	50m	9.5kg	9 319022 000037
RAP50100FS	Reln Ag-Pipe 50mm x 100m SN8-Class 400 Filtersock	50mm	100m	19kg	9 319022 000044
RAP50200FS	Reln Ag-Pipe 50mm x 200m SN8-Class 400 Filtersock	50mm	200m	38kg	9 319022 000051
RAP6510FS	Reln Ag-Pipe 65mm x 10m SN8-Class 400 Filtersock	65mm	10m	2.2kg	9 319022 000068
RAP6520FS	Reln Ag-Pipe 65mm x 20m SN8-Class 400 Filtersock	65mm	20m	4.4kg	9 319022 000075
RAP6550FS	Reln Ag-Pipe 65mm x 50m SN8-Class 400 Filtersock	65mm	50m	11kg	9 319022 000082
RAP65100FS	Reln Ag-Pipe 65mm x 100m SN8-Class 400 Filtersock	65mm	100m	22kg	9 319022 000099
RAP65200FS	Reln Ag-Pipe 65mm x 200m SN8-Class 400 Filtersock	65mm	200m	44kg	9 319022 000105



ReIn Ag-Pipe 50mm
 ReIn Ag-Pipe 65mm
 ReIn Ag-Pipe 100mm
 ReIn Ag-Pipe 165mm
 ReIn Ag-Pipe PVC 100mm
 ReIn Ag-Pipe PVC 160mm
 ReIn Ag-Pipe 80mm

Product Code	Description	Diameter (mm)	Length (m)	Weight (kg)	Barcode
RAP10010FS	ReIn Ag-Pipe 100mm x 10m SN8-Class 400 Filtersoc	100mm	10m	3.6kg	9 319022 000112
RAP10020FS	ReIn Ag-Pipe 100mm x 20m SN8-Class 400 Filtersock	100mm	20m	7.6kg	9 319022 000129
RAP10050FS	ReIn Ag-Pipe 100mm x 50m SN8-Class 400 Filtersock	100mm	50m	18kg	9 319022 000136
RAP100100FS	ReIn Ag-Pipe 100mm x 100m SN8-Class 400 Filtersock	100mm	100m	36kg	9 319022 000143
RAP16025FS	ReIn Ag-Pipe 160mm x 25m SN8-Class 400 Filtersock	160mm	25m	20kg	9 319022 000150
RVC10020FS	ReIn Ag-Pipe PVC 100mm x 20m SN20-Class 1000 Filtersock	100mm	20m	12.4kg	9 319022 000167
RVC10050FS	ReIn Ag-Pipe PVC 100mm x 50m SN20-Class 1000 Filtersock	100mm	50m	31kg	9 319022 000174
RVC100100FS	ReIn Ag-Pipe PVC 100mm x 100m SN20-Class 1000 Filtersock	100mm	100m	62kg	9 319022 000181
RVC16025FS	ReIn Ag-Pipe PVC 160mm x 25m SN20-Class 1000 Filtersock	160mm	25m	37.5kg	9 319022 000198
RAP8020FS	ReIn Ag-Pipe 80mm x 20m SN8-Class 400 Filtersock SPECIAL ORDER	80mm	20m	N/A	9 319022 254119



ReIn Ag-Pipe 50mm
 ReIn Ag-Pipe 65mm
 ReIn Ag-Pipe 100mm
 ReIn Ag-Pipe 165mm
 ReIn Ag-Pipe PVC 100mm
 ReIn Ag-Pipe PVC 160mm
 ReIn Ag-Pipe 80mm

Product Code	Description	Diameter (mm)	Length (m)	Weight (kg)	Barcode
RAP5010	ReIn Ag-Pipe 50mm x 10m SN8-Class 400 Slotted	50mm	10m	1.9kg	9 319022 000204
RAP5020	ReIn Ag-Pipe 50mm x 20m SN8-Class 400 Slotted	50mm	20m	3.8kg	9 319022 000211
RAP5050	ReIn Ag-Pipe 50mm x 50m SN8-Class 400 Slotted	50mm	50m	9.5kg	9 319022 000228
RAP50100	ReIn Ag-Pipe 50mm x 100m SN8-Class 400 Slotted	50mm	100m	19kg	9 319022 000235
RAP50200	ReIn Ag-Pipe 50mm x 200m SN8-Class 400 Slotted	50mm	200m	38kg	9 319022 000242
RAP6510	ReIn Ag-Pipe 65mm x 10m SN8-Class 400 Slotted	65mm	10m	2.2kg	9 319022 000259
RAP6520	ReIn Ag-Pipe 65mm x 20m SN8-Class 400 Slotted	65mm	20m	4.4kg	9 319022 000266
RAP6550	ReIn Ag-Pipe 65mm x 50m SN8-Class 400 Slotted	65mm	50m	11kg	9 319022 000273
RAP65100	ReIn Ag-Pipe 65mm x 100m SN8-Class 400 Slotted	65mm	100m	22kg	9 319022 000280
RAP65200	ReIn Ag-Pipe 65mm x 200m SN8-Class 400 Slotted	65mm	200m	44kg	9 319022 000297



ReIn Ag-Pipe 50mm
 ReIn Ag-Pipe 65mm
 ReIn Ag-Pipe 100mm
 ReIn Ag-Pipe 165mm
 ReIn Ag-Pipe PVC 100mm
 ReIn Ag-Pipe PVC 160mm
 ReIn Ag-Pipe 80mm

Product Code	Description	Diameter (mm)	Length (m)	Weight (kg)	Barcode
RAP10010	ReIn Ag-Pipe 100mm x 10m SN8-Class 400 Slotted	100mm	10m	3.6kg	9 319022 000303
RAP10020	ReIn Ag-Pipe 100mm x 20m SN8-Class 400 Slotted	100mm	20m	7.2kg	9 319022 000310
RAP10050	ReIn Ag-Pipe 100mm x 50m SN8-Class 400 Slotted	100mm	50m	18kg	9 319022 000327
RAP100100	ReIn Ag-Pipe 100mm x 100m SN8-Class 400 Slotted	100mm	100m	36kg	9 319022 000334
RAP16025	ReIn Ag-Pipe 160mm x 25m SN4-Class 200 Slotted	160mm	25m	20kg	9 319022 000341
RVC10020	ReIn Ag-Pipe PVC 100mm x 20m SN20-Class 1000 Slotted	100mm	20m	12.4kg	9 319022 000358
RVC10050	ReIn Ag-Pipe PVC 100mm x 50m SN20-Class 1000 Slotted	100mm	50m	31kg	9 319022 000365
RVC100100	ReIn Ag-Pipe PVC 100mm x 100m SN20-Class 1000 Slotted	100mm	100m	62kg	9 319022 000372
RVC16025	ReIn Ag-Pipe PVC 160mm x 25m SN20-Class 1000 Slotted	160mm	25m	37.5kg	9 319022 000389
RAP8020	ReIn Ag-Pipe 80mm x 20m SN8-Class 400 Slotted SPECIAL ORDER	80mm	20m	7.2kg	9 319022 254102



ReIn Ag-Pipe 50mm

ReIn Ag-Pipe 65mm

ReIn Ag-Pipe 100mm

ReIn Ag-Pipe 165mm

ReIn Ag-Pipe PVC 100mm

ReIn Ag-Pipe PVC 160mm

Product Code	Description	Diameter (mm)	Length (m)	Weight (kg)	Barcode
RAP5010US	ReIn Ag-Pipe 50mm x 10m SN8-Class 400 Unslotted	50mm	10m	1.9kg	9 319022 000396
RAP5020US	ReIn Ag-Pipe 50mm x 20m SN8-Class 400 Unslotted	50mm	20m	3.8kg	9 319022 000402
RAP5050US	ReIn Ag-Pipe 50mm x 50m SN8-Class 400 Unslotted	50mm	50m	9.5kg	9 319022 000419
RAP50100US	ReIn Ag-Pipe 50mm x 100m SN8-Class 400 Unslotted	50mm	100m	19kg	9 319022 000426
RAP50200US	ReIn Ag-Pipe 50mm x 200m SN8-Class 400 Unslotted	50mm	200m	38kg	9 319022 000433
RAP6510US	ReIn Ag-Pipe 65mm x 10m SN8-Class 400 Unslotted	65mm	10m	2.2kg	9 319022 000440
RAP6520US	ReIn Ag-Pipe 65mm x 20m SN8-Class 400 Unslotted	65mm	20m	4.4kg	9 319022 000457
RAP6550US	ReIn Ag-Pipe 65mm x 50m SN8-Class 400 Unslotted	65mm	50m	11kg	9 319022 000464
RAP65100US	ReIn Ag-Pipe 65mm x 100m SN8-Class 400 Unslotted	65mm	100m	22kg	9 319022 000471
RAP65200US	ReIn Ag-Pipe 65mm x 200m SN8-Class 400 Unslotted	65mm	200m	44kg	9 319022 000488



Unslotted



ReIn Ag-Pipe 50mm

ReIn Ag-Pipe 65mm

ReIn Ag-Pipe 100mm

ReIn Ag-Pipe 165mm

ReIn Ag-Pipe PVC 100mm

ReIn Ag-Pipe PVC 160mm

Product Code	Description	Diameter (mm)	Length (m)	Weight (kg)	Barcode
RAP10010US	ReIn Ag-Pipe 100mm x 10m SN4-Class 200 Unslotted	100mm	10m	3.6kg	9 319022 000495
RAP10020US	ReIn Ag-Pipe 100mm x 20m SN8-Class 400 Unslotted	100mm	20m	7.2kg	9 319022 000501
RAP10050US	ReIn Ag-Pipe 100mm x 50m SN8-Class 400 Unslotted	100mm	50m	18kg	9 319022 000518
RAP100100US	ReIn Ag-Pipe 100mm x 100m SN8-Class 400 Unslotted	100mm	100m	36kg	9 319022 000525
RAP16025US	ReIn Ag-Pipe 160mm x 25m SN8-Class 200 Unslotted	160mm	25m	20kg	9 319022 000532
RVC10020US	ReIn Ag-Pipe PVC 100mm x 20m SN20-Class 1000 Unslotted	100mm	20m	12.4kg	9 319022 000549
RVC10050US	ReIn Ag-Pipe PVC 100mm x 50m SN20-Class 1000 Unslotted	100mm	50m	31kg	9 319022 000556
RVC100100US	ReIn Ag-Pipe PVC 100mm x 100m SN20-Class 1000 Unslotted	100mm	100m	62kg	9 319022 000563
RVC16025US	ReIn Ag-Pipe PVC 160mm x 25m SN20-Class 1000 Unslotted	160mm	25m	37.5kg	9 319022 000570

Ag-Pipe End Cap 50mm

Product Code: RAP50EC

Weight: 0.01kg


9 319022 000686

Ag-Pipe Straight Coupling 50mm

Product Code: RAP50SC

Weight: 0.02kg


9 319022 000600

Ag-Pipe Reducing Coupling 100mm - 65mm

Product Code: RAP10050RED

Weight: 0.4kg


9 319022 000624

Ag-Pipe End Cap 65mm

Product Code: RAP65EC

Weight: 0.02kg


9 319022 254058

Ag-Pipe Reducing Coupling 100mm - 50mm

Product Code: RAP10050RED

Weight: 0.04kg


9 319022 000631

Ag-Pipe T Junction 50mm

Product Code: RAP50T

Weight: 0.04kg


9 319022 000716

Ag-Pipe Cross Junction 65mm

Product Code: RAP65X

Weight: 0.07kg


9 319022 000754

Ag-Pipe Straight Coupling 65mm

Product Code: RAP65SC

Weight: 0.2kg


9 319022 000594

Ag-Pipe T Junction 65mm

Product Code: RAP65T

Weight: 0.06kg

Ag-Pipe Y Junction 65mm

Product Code: RAP65Y

Weight: 0.06kg

**Ag-Pipe Adaptor 100mm -
100mm PVC DWV**

Product Code: RAP100100ADP

Weight: 0.06kg

**Ag-Pipe Adaptor 100mm -
90mm PVC DWV**

Product Code: RAP10090ADP

Weight: 0.07kg

**Ag-Pipe Cross
Junction 100mm**

Product Code: RAP100X

Weight: 0.12kg

Ag-Pipe End Cap 100mm

Product Code: RAP100EC

Weight: 0.03kg

**Ag-Pipe Straight
Coupling 100mm**

Product Code: RAP100SC

Weight: 0.05kg

Ag-Pipe T Junction 100mm

Product Code: RAP100T

Weight: 0.12kg


Ag-Pipe Y Junction 100mm

Product Code: RAP100Y

Weight: 0.15kg


9 319022 000723

**Ag-Pipe Reducing Coupling
100mm - 50mm**

Product Code: RAP10050RED

Weight: 0.04kg


9 319022 000631

No job too wet.

